

DGFR *///X*

Diesel System Test Bench

Cloud*X*

Diesel CRDi & Gasoline
GDi Flushing Bench.
Flushing / Cleaning and
Servicing bench for up
to 4 injectors.



INNOVATION DRIVEN



**Engineering Forward
Mobility Solutions!**

DGFR //X

Diesel System Test Bench

Authorized
Solution for
Continental/VDO



Diesel CRDi & Gasoline
GDi Flushing Bench.
Flushing / Cleaning
and Servicing bench
for up to 4 injectors.

CloudX

→ Features

- A Continental/VDO Proposed Flushing Bench
- Xtremely Fast Flushing Times
- New Design for every Service Station
- Optimized Working Area to reduce Injector Set-up Times
- 1000Bar Operating Pressure
- EU6 Systems Capable
- CloudX Capabilities
- Off-Highways CR applications operation (John Deere, Komatsu, Hino, Isuzu)
- Cummins XPI, Caterpillar-Perkins C4/C6 and other Medium-Duty operation



→ Diesel CRDi/Gasoline GDi Injector Flushing Bench

- Ergonomic, Fast and Easy Injector Clamping device to minimize mounting times.
- Fully Adjustable height for all types of CRDi / GDi injectors.
- Utilizes a spring-loaded injector holder to ease the operation of the user.
- Advanced self air-cooling system to optimize long term nonstop operation at all environmental conditions.
- Adaptability for every type of Diesel Injectors in the market
- Android Powered 10" HMI with unlimited flexibility and connectivity competencies.



SPAR

Diesel System Test Bench

CZ Piezo Stack Filler, Air remover and Stack Activator is the only automatic solution to assure optimum servicing and operation of Piezo injectors today after being serviced by Diesel Specialists.

Automatic and easy operation for 4 Piezo injectors at once

Connects directly at the return port (backleak)

Only needs single phase 100-250Vac

Lightweight and portable solution

Connects to any Carbon Zapp Test Bench

High Flow Vacuum Power 10KPa and Pressure of 100KPa

Automatic Start / Stop function with specific Test Plans

Adaptability to all types of Piezo injectors



SPECIALISTS

CRDi - EUI/EUP - HEUi - CRP
ENGINE - GDi - EFi - GDi Pumps

DGFR → SPECIFICATIONS

	DESCRIPTION	UNIT	DGFR-X (CZ-007091)
Machine Dimensions	Length	mm	510
	Width	mm	780
	Height	mm	780
Weight		kg	66
HMI	Tablet Touchscreen	Inches	10
Internet Update	WiFi / Ethernet	-	YES / YES
Pressure Source	Type	Air Driven High Pressure Pump (DxL-ISO) ISO4113	
Test Oil	Type	Calibration Oil	
Test Oil Tank	Capacity	Liters	4
Flush Tank	Capacity	Liters	4
Max Pressure	Pressure	Bar	1000
Max RPM	Max Revolutions Per Minute	RPM	-
Max Pumps	Pumps Test	Slots	-
Max Injectors	Test Injectors	Slots	4
HP Pump	High Pressure Pump	Type	Pneumatic Pump
LP Pump	Supply Pressure	Bar	-
	Pressure	Bar	6 - 8
	Air Tank Capacity	Lt	200
Air Supply	Air Flow	Lt/ Min	300
	Min Diameter at Air Supply Hose	mm	8
	Air	Type	Water / Oil FREE
Main Power Supply	Phases	Number	1
		TYPE	1P+N
	Voltage	VAC	100 - 240
	Frequency	Hz	50/60
	Current	Ampere	5
Operating Temperature	Max Consumption	kVA (100V/240V)	0.5 / 1.2
	Min / Max Room Temperature	Celsius	6 / 35
IVM Sensors	Measurement Sensors	Type / Quantity	-

→
PRESSURE SOURCES
Air: Air Driven High Pressure Pump
APPLICATIONS
Passenger Car/ Motorcycles: Volumes up to 120mm³/H
Light Duty: Volumes up to 200mm³/H
Medium Duty: Volumes up to 300mm³/H
Heavy Duty: Volumes up to 650mm³/H



CloudX is Carbon Zapp IoT Cloud computing Platform.

**Powerful innovations at your fingertips
with CZ CloudX computing Platform**

CZ CloudX computing technology Platform as a service (PaaS) is a complete environment in the cloud, with resources that enable clients the full control of their Bench with cloud based Apps access them over a secure Internet connection. With middleware, development tools, business intelligence (BI) services, database management systems and more.

CloudX allows clients to access live online updates of database, remote operation and status report of their bench. Generate remote reports for handling, printing, filling and organizing from machine database. Instant activation of features on a pay-as-you-go basis. Multiple machines management support. Complete machine cloud back-up and instant trouble shooting via X-Connect directly from CZ factory. Receive notifications on your smart devices for machine maintenance tasks like Oils, Filters, Service, and more.

Explore today new powerful innovations at your fingertips with CZ CloudX computing Platform.

CloudX Features



IoT Cloud Platform Industry 4.0

Remote Operation and Status
Report of Client Bench

Generating remote reports for
handling, printing, filing and
organizing from machine database

Multiple machines management

Instant Activation of Features on a
pay-as-you-go basis

Notifications on Client smart devices
for machine maintenance tasks like
Oils, Filters, Service, and more

Complete machine cloud back-up

Instant troubleshooting via CX-Connex
directly from CZ Factory

Live Online Updates of Database
and supporting new requests from
clients


EXPANDING CAPABILITIES




Space saving, accessory organizers for everyday tasks. Increased productivity and uncluttered space.



Extras



MTBR-X & PTBR-X



01.
Desk & Harness Shelf





02.
Hydraulic Hose Side Panel
Pocket with Drain

Ultrasonic Shelf



for GTBR-X,
ITBR-X, HTBR-X





**Carbon Zapp Trolley
Fully Configured Setup**




/// CZ Base Trolley



**/// Hose & Harness
Side Organizer**
(max. 2 pcs per trolley)


Carbon Zapp Trolley



Ideal workshop organizer to fit most parts of the machine like harnesses, hoses, adapters, tools and flanges. Can be easily transformed to a Cambox and/or pump rack for easy transfer and storing.



**/// CRp Flange Drawer
Organizer**
(max. 1 pc per trolley)



**/// Cambox/Pump
Transfer Rack**
(max. 2 pcs per trolley)





**VIEW CZ Digital
Product Catalog**



Headquarters & Production

New Address

Isiodou 18 (Industrial Park)
194 00 Koropi, Attica-Greece

German Branch

A.I.S. GmbH
75438 Knittlingen, Germany

email contact@carbonzapp.com

tel +30 210 9856110

fax +30 210 9928655

carbonzapp.com